

SAFETY DATA SHEET

Product Trade Name: AQF-2™ XG

Revision Date: 22-Jun-2020

Revision Number: 1

1. Identification

1.1. Product Identifier

Product Trade Name: AQF-2™ XG
Synonyms: None
Chemical Family: Blend
Internal ID Code: HM009409

1.2 Recommended use and restrictions on use

Application: Foaming Agent
Uses advised against: No information available

1.3 Manufacturer's Name and Contact Details

Manufacturer/Supplier

Baroid Industrial Drilling Products
Product Service Line of Halliburton Energy Services, Inc.
P.O. Box 1675
Houston, TX 77251
Telephone: (281) 871-4613 or 1-877-379-7412

Baroid Industrial Drilling Products
645 - 7th Ave SW Suite 1800
Calgary, AB
T2P 4G8
Canada
Telephone: 1-403-231-9300

Prepared By: Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

1.4. Emergency telephone number:

Emergency Telephone Number: 1-866-519-4752 or 1-760-476-3962 (accessible 24 hours a day / 7 days a week)
Global Incident Response Access Code: 334305
Contract Number: 14012

2. Hazards Identification

2.1 Classification in accordance with paragraph (d) of §1910.1200

Skin Corrosion / Irritation	Category 2 - H315
Serious Eye Damage/Irritation	Category 1 - H318
Specific Target Organ Toxicity - (Repeated Exposure)	Category 2 - H373
Acute Aquatic Toxicity	Category 2 - H401
Flammable liquids.	Category 4 - H227

2.2. Label Elements

Hazard Pictograms



Signal Word:

Warning

Hazard Statements

- H227 - Combustible liquid
- H315 - Causes skin irritation
- H318 - Causes serious eye damage
- H373 - May cause damage to organs through prolonged or repeated exposure
- H401 - Toxic to aquatic life

Precautionary Statements

Prevention

- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P273 - Avoid release to the environment

Response

- P280 - Wear protective gloves/eye protection/face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of water.
- P332 + P313 - If skin irritation occurs: Get medical advice/attention
- P362 + P364 - Take off contaminated clothing and wash before reuse
- P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a POISON CENTER or doctor/physician

**Storage
Disposal**

- P370 + P378 - In case of fire: Use water spray for extinction
- P403 + P235 - Store in a well-ventilated place. Keep cool
- P501 - Dispose of contents/container in accordance with local/regional/national/international regulations

2.3 Hazards not otherwise classified

None known

3. Composition/information on Ingredients

Substances	CAS Number	PERCENT (w/w)	GHS Classification - US
Salts of aliphatic sulfonic acids	Proprietary	30 - 60%	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Acute 2 (H401)
Ethylene glycol monobutyl ether	111-76-2	10 - 30%	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Flam. Liq. 4 (H227)
Diethylene glycol	111-46-6	5 - 10%	Acute Tox. 4 (H302) STOT RE 2 (H373)

The specific chemical identity of the composition has been withheld as proprietary. The exact percentage (concentration) of the composition has been withheld as proprietary.

4. First Aid Measures

4.1. Description of first aid measures

Inhalation	If inhaled, remove to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. If breathing is difficult give oxygen. Get medical attention.
Eyes	In case of contact, immediately flush eyes with plenty of water for at least 30 minutes. Remove contact lenses after the first 5 minutes and continue washing. Seek immediate medical attention/advice. Suitable emergency eye wash facility should be immediately available
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention. Remove contaminated clothing and launder before reuse.
Ingestion	Do NOT induce vomiting. Give nothing by mouth. Obtain immediate medical attention.

4.2 Most important symptoms/effects, acute and delayed

Causes severe eye irritation which may damage tissue. Causes skin irritation. May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water fog, carbon dioxide, foam, dry chemical.

Extinguishing media which must not be used for safety reasons

Do NOT spray pool fires directly with water. A solid stream of water directed into hot burning liquid can cause splattering.

5.2 Specific hazards arising from the substance or mixture

Special exposure hazards in a fire

Decomposition in fire may produce harmful gases. Vapors are heavier than air and may accumulate in low areas. Vapors may travel along the ground to be ignited at distant locations.

5.3 Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters

Full protective clothing and approved self-contained breathing apparatus required for fire fighting personnel.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use appropriate protective equipment. Ensure adequate ventilation. Avoid breathing vapors. Avoid contact with skin, eyes and clothing. Remove sources of ignition.
See Section 8 for additional information.

6.2. Environmental precautions

Prevent from entering sewers, waterways, or low areas.

6.3. Methods and material for containment and cleaning up

Isolate spill and stop leak where safe. Remove ignition sources and work with non-sparking tools. Contain spill with sand or other inert materials. Scoop up and remove. Do NOT spread spilled product with water.

7. Handling and storage

7.1. Precautions for safe handling

Handling Precautions

Use appropriate protective equipment. Ensure adequate ventilation. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Remove sources of ignition. Ground and bond containers when transferring from one container to another.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Information

Store away from oxidizers. Keep from heat, sparks, and open flames. Store in a cool well ventilated area. Keep container closed when not in use. Keep from freezing. Product has a shelf life of 36 months.

8. Exposure Controls/Personal Protection

8.1 Occupational Exposure Limits

Substances	CAS Number	OSHA PEL-TWA	ACGIH TLV-TWA
Salts of aliphatic sulfonic acids	Proprietary	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	TWA: 50 ppm TWA: 240 mg/m ³	TWA: 20 ppm
Diethylene glycol	111-46-6	Not applicable	Not applicable

8.2 Appropriate engineering controls

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits. Ensure adequate ventilation, especially in confined areas

8.3 Individual protection measures, such as personal protective equipment

Personal Protective Equipment

If engineering controls and work practices cannot prevent excessive exposures, the selection and proper use of personal protective equipment should be determined by an industrial hygienist or other qualified professional based on the specific application of this product.

Respiratory Protection

If engineering controls and work practices cannot keep exposure below occupational exposure limits or if exposure is unknown, wear a NIOSH certified, European Standard EN 149, AS/NZS 1715:2009, or equivalent respirator when using this product. Selection of and instruction on using all personal protective equipment, including respirators, should be performed by an Industrial Hygienist or other qualified professional. When the potential exists for vapors of this product to be present, use a respirator with an organic-vapor filter or a supplied-air respirator as needed for adequate protection.

Hand Protection

Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Skin Protection

Wear protective clothing appropriate for the work environment.

Eye Protection

Chemical goggles; also wear a face shield if splashing hazard exists.

Other Precautions

Eyewash fountains and safety showers must be easily accessible.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State: Liquid	Color	Clear light yellow
Odor: Bland	Odor	No information available
	Threshold:	

<u>Property</u>	<u>Values</u>
<u>Remarks/ - Method</u>	
pH:	6.5 - 8.5 (10 % solution)
Freezing Point / Range	-16 °C / 3.2 (pour point: 15.8) °F
Melting Point / Range	No data available
Pour Point / Range	No data available
Boiling Point / Range	> 100 °C / 212 °F
Flash Point	61 °C / 142 °F (PMCC)
Flammability (solid, gas)	No data available
Upper flammability limit	No data available
Lower flammability limit	No data available
Evaporation rate	No data available
Vapor Pressure	< 1 mmHg
Vapor Density	No data available
Specific Gravity	1.038
Water Solubility	Soluble in water
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive Properties	No information available
Oxidizing Properties	No information available

9.2. Other information

VOC Content (%)	No data available
------------------------	-------------------

10. Stability and Reactivity

10.1. Reactivity

Not expected to be reactive.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

Will Not Occur

10.4. Conditions to avoid

Keep away from heat, sparks and flame.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

Oxides of sulfur. Carbon monoxide and carbon dioxide.

11. Toxicological Information

11.1 Information on likely routes of exposure

Principle Route of Exposure Eye or skin contact, inhalation. Ingestion.

11.2 Symptoms related to the physical, chemical and toxicological characteristics**Acute Toxicity**

Inhalation	May cause respiratory irritation.
Eye Contact	Causes severe eye irritation which may damage tissue.
Skin Contact	Causes skin irritation.
Ingestion	May cause abdominal pain, vomiting, nausea, and diarrhea.

Chronic Effects/Carcinogenicity Prolonged or repeated exposure can cause delayed kidney damage.

11.3 Toxicity data**Toxicology data for the components**

Substances	CAS Number	LD50 Oral	LD50 Dermal	LC50 Inhalation
Salts of aliphatic sulfonic acids	Proprietary	2310 mg/kg (Rat) 2079 mg/kg (Rat) 6314 mg/kg (Rat) 4000 mg/kg (Rat)	6300 mg/kg (Rabbit) > 6000 mg/kg	> 52 mg/L (Rat) 4h
Ethylene glycol monobutyl ether	111-76-2	530 mg/kg-bw (guinea pig)	400 mg/kg (Rabbit)	No data available
Diethylene glycol	111-46-6	12565 - 19600 mg/kg (Rat)	11890 - 13300 mg/kg (Rabbit)	> 4.6 mg/L (Rat) 4h

Substances	CAS Number	Skin corrosion/irritation
Salts of aliphatic sulfonic acids		Irritating to skin. (Rabbit)
Ethylene glycol monobutyl ether	111-76-2	Skin, rabbit: Causes moderate skin irritation. Causes skin irritation. (Rabbit)
Diethylene glycol	111-46-6	Non-irritating to the skin (Rabbit)

Substances	CAS Number	Serious eye damage/irritation
Salts of aliphatic sulfonic acids		Causes severe eye irritation which may damage tissue. (Rabbit)
Ethylene glycol monobutyl ether	111-76-2	Eye, rabbit: Causes moderate eye irritation Causes eye irritation. (Rabbit)
Diethylene glycol	111-46-6	Non-irritating to the eye (Rabbit)

Substances	CAS Number	Skin Sensitization
Salts of aliphatic sulfonic acids		Did not cause sensitization on laboratory animals (guinea pig)
Ethylene glycol monobutyl ether	111-76-2	Did not cause sensitization on laboratory animals (guinea pig)
Diethylene glycol	111-46-6	Did not cause sensitization on laboratory animals (guinea pig)

Substances	CAS Number	Respiratory Sensitization
Salts of aliphatic sulfonic acids		No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol	111-46-6	No information available

Substances	CAS Number	Mutagenic Effects
Salts of aliphatic sulfonic acids		In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.
Ethylene glycol monobutyl ether	111-76-2	In vitro tests did not show mutagenic effects. In vivo tests did not show mutagenic effects.
Diethylene glycol	111-46-6	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects.

Substances	CAS Number	Carcinogenic Effects
Salts of aliphatic sulfonic acids		Did not show carcinogenic effects in animal experiments (Rat)

Ethylene glycol monobutyl ether	111-76-2	Not regarded as carcinogenic.
Diethylene glycol	111-46-6	Did not show carcinogenic effects in animal experiments (Rat)

Substances	CAS Number	Reproductive toxicity
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.
Diethylene glycol	111-46-6	Animal testing did not show any effects on fertility. Did not show teratogenic effects in animal experiments.

Substances	CAS Number	STOT - single exposure
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	Has been shown to cause damage to organs in a single exposure.
Diethylene glycol	111-46-6	No significant toxicity observed in animal studies at concentration requiring classification.

Substances	CAS Number	STOT - repeated exposure
Salts of aliphatic sulfonic acids		No significant toxicity observed in animal studies at concentration requiring classification.
Ethylene glycol monobutyl ether	111-76-2	No data of sufficient quality are available.
Diethylene glycol	111-46-6	Causes damage to organs through prolonged or repeated exposure: Kidney

Substances	CAS Number	Aspiration hazard
Salts of aliphatic sulfonic acids		No information available
Ethylene glycol monobutyl ether	111-76-2	Not applicable
Diethylene glycol	111-46-6	No information available

12. Ecological Information

12.1. Toxicity

Ecotoxicity effects

Toxic to aquatic life.

Substance Ecotoxicity Data

Substances	CAS Number	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Toxicity to Invertebrates
Salts of aliphatic sulfonic acids	Proprietary	EC50 (72h) 5.2 mg/L (Skeletonema costatum)	LC50 (96h) 4.2 mg/L (Danio rerio)	No information available	EC50 (48h) 4.53 mg/L (Ceriodaphnia sp) NOEC (21d) 6.3 mg/L (Daphnia magna)
Ethylene glycol monobutyl ether	111-76-2	EC50(72 h)=1840 mg/L (Pseudokirchneriella subcapitata)	LC50(96 h)=1474 mg/L (Oncorhynchus mykiss) NOAEC(21 d)>100 mg/L (Danio rerio)	No information available	EC50(48 h)=1800 mg/L (Daphnia magna) EC50(21 d)=297 mg/L (Daphnia magna)
Diethylene glycol	111-46-6	TGK (8d) 2700 mg/L (Scenedesmus quadricauda)	LC50 75200 mg/L (Pimephales promelas)	EC20 (30m) > 1995 mg/L (domestic activated sludge)	EC50 84000 mg/L (Daphnia magna) EC50 >10000 mg/L (Daphnia magna)

12.2. Persistence and degradability

Substances	CAS Number	Persistence and Degradability
Salts of aliphatic sulfonic acids	Proprietary	Readily biodegradable (80-96% @ 28d)
Ethylene glycol monobutyl ether	111-76-2	Readily biodegradable (90.4% @ 28d)
Diethylene glycol	111-46-6	Readily biodegradable (90-100% @ 28d)

12.3. Bioaccumulative potential

Substances	CAS Number	Bioaccumulation
Salts of aliphatic sulfonic acids	Proprietary	- 1.3
Ethylene glycol monobutyl ether	111-76-2	Log Pow=0.9
Diethylene glycol	111-46-6	BCF: 100 (Leuciscus idus melanotus)

12.4. Mobility in soil

Substances	CAS Number	Mobility
Salts of aliphatic sulfonic acids	Proprietary	No information available
Ethylene glycol monobutyl ether	111-76-2	No information available
Diethylene glycol	111-46-6	No information available

12.5 Other adverse effects

No information available

13. Disposal Considerations

13.1. Waste treatment methods

Disposal methods Follow all applicable community, national or regional regulations regarding waste management methods.

Contaminated Packaging Follow all applicable national or local regulations.

14. Transport Information

US DOT

UN Number Not restricted
UN proper shipping name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

US DOT Bulk

NA1993, Combustible Liquid, N.O.S. (Contains Ethylene Glycol Monobutyl Ether), Combustible Liquid, III

Canadian TDG

UN Number Not restricted
UN proper shipping name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IMDG/IMO

UN Number Not restricted
UN proper shipping name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

IATA/ICAO

UN Number Not restricted
UN proper shipping name: Not restricted
Transport Hazard Class(es): Not applicable
Packing Group: Not applicable
Environmental Hazards: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Special Precautions for User None

15. Regulatory Information

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

TSCA Significant New Use Rules - S5A2

Substances	CAS Number	TSCA Significant New Use Rules - S5A2	TSCA Section 5(E) Consent Orders
Salts of aliphatic sulfonic acids	Proprietary	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable	Not applicable
Diethylene glycol	111-46-6	Not applicable	Not applicable

EPA SARA Title III Extremely Hazardous Substances

Substances	CAS Number	EPA SARA Title III Extremely Hazardous Substances
Salts of aliphatic sulfonic acids	Proprietary	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable
Diethylene glycol	111-46-6	Not applicable

EPA SARA (311,312) Hazard Class

- Flammable (gases, aerosols, liquids, or solids)
- Skin Corrosion or Irritation
- Serious eye damage or eye irritation
- Specific target organ toxicity (single or repeated exposure)

EPA SARA (313) Chemicals

Substances	CAS Number	Toxic Release Inventory (TRI) - Group I	Toxic Release Inventory (TRI) - Group II
Salts of aliphatic sulfonic acids	Proprietary	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	1.0%	Not applicable
Diethylene glycol	111-46-6	Not applicable	Not applicable

EPA CERCLA/Superfund Reportable Spill Quantity

Substances	CAS Number	CERCLA RQ
Salts of aliphatic sulfonic acids	Proprietary	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable
Diethylene glycol	111-46-6	Not applicable

EPA RCRA Hazardous Waste Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65

Substances	CAS Number	California Proposition 65
Salts of aliphatic sulfonic acids	Proprietary	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Not applicable
Diethylene glycol	111-46-6	Not applicable

U.S. State Right-to-Know Regulations

Substances	CAS Number	MA Right-to-Know Law	NJ Right-to-Know Law	PA Right-to-Know Law
Salts of aliphatic sulfonic acids	Proprietary	Not applicable	Not applicable	Not applicable
Ethylene glycol monobutyl ether	111-76-2	Present	Present	Present Environmental hazard
Diethylene glycol	111-46-6	Not applicable	Not applicable	Present

NFPA Ratings: Health 1, Flammability 2, Reactivity 0
HMIS Ratings: Health 1, Flammability 2, Physical Hazard 0 , PPE: C

Canadian Regulations

Canadian Domestic Substances List (DSL) All components listed on inventory or are exempt.

16. Other information

Preparation Information

Prepared By Chemical Stewardship
Telephone: 1-281-871-6107
e-mail: fdunexchem@halliburton.com

Revision Date: 22-Jun-2020

Reason for Revision Initial Release

Additional information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Safety Data Sheet for this or other Halliburton products, contact Chemical Stewardship at 1-580-251-4335.

Key or legend to abbreviations and acronyms used in the safety data sheet

bw – body weight

CAS – Chemical Abstracts Service

d - day

EC50 – Effective Concentration 50%

ErC50 – Effective Concentration growth rate 50%

h - hour

LC50 – Lethal Concentration 50%

LD50 – Lethal Dose 50%

LL50 – Lethal Loading 50%

mg/kg – milligram/kilogram

mg/L – milligram/liter

mg/m³ - milligram/cubic meter

mm - millimeter

mmHg - millimeter mercury

NIOSH – National Institute for Occupational Safety and Health

NTP – National Toxicology Program

OEL – Occupational Exposure Limit

PEL – Permissible Exposure Limit

ppm – parts per million

STEL – Short Term Exposure Limit

TWA – Time-Weighted Average

UN – United Nations

w/w - weight/weight

Key literature references and sources for data

www.ChemADVISOR.com/

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

End of Safety Data Sheet